




IPS Yellow Sch40 Gas Sleeve Solvent Weld

Specification

Pacific Plastics Yellow Sch40 PVC pipe is Gas Sleeve applications. This product is produced in compliance to ASTM D1785. The outside diameter and wall thickness of yellow Sch40 pipe is measured in accordance to ASTM D2122 and are shown in the following table.

Size	OD	T	C
1 1/2	1.900	0.145	2.00
2	2.375	0.154	2.25
3	3.500	0.216	3.25
4	4.500	0.237	4.00

Size	OD	T	C
6	6.625	0.280	6.00
8	8.625	0.322	6.00
10	10.750	0.365	7.50
12	12.750	0.406	8.50



OD – Outside Diameter

T – Wall Thickness

C – Approximate Bell Depth

Certification

This is to certify that, in this category of PVC pipe, all the products manufactured by Pacific Plastics have been inspected, sampled and tested in accordance with the following specifications and have been found to meet or exceed the requirements of those specifications.

Raw Materials

- PVC1120 Type1 Grade1
- Cell Class 12454
- ASTM D1784 Specification

PVC Pipe

- Sch40 Yellow Solvent Weld
- 1 1/2" – 12"
- ASTM D1785

Part Numbers

Size	Sch40
1 1/2	EY-40
2	FY-40
3	HY-40
4	IY-40
6	JY-40
8	KY-40
10	LY-40
12	MY-40

Price List

MULTIPLY

Size	Sch40
1 1/2	228.00
2	307.00
3	634.00
4	902.00
6	1597.00
8	2491.00
10	3384.00
12	4475.00

Size	Sch40
------	-------

Loading Chart - IPS Yellow Sch40 Gas Sleeving

Size	Ft/L	L/T	Ft/T
1½	3,600	24	86,400
2	2,100	28	58,800
3	1,500	20	30,000
4	1,140	16	18,240
6	520	16	8,320
8	400	12	4,800
10	240	12	2,880
12	120	16	1,920

Weights - IPS Yellow Sch40 Gas Sleeving

Size	LBS/100'
1½	51.8
2	69.6
3	144.0
4	205.0
6	362.8
8	566.0

Size	LBS/100'
10	869.0
12	1017.0

Attributes

Color

[Yellow](#)

Fitting

[Solvent Weld](#)

Purpose

[Gas Sleaving](#)